High Molecule HA • Low Molecule HA • Succinic Acid • Peptide

REGLORY HL 40+

Where deep hydration meets timeless radiance
A dual-molecular synergy of Hyaluronic Acid for a visibly firmer, brighter, and younger-looking skin

INNOVATIVE
MEDICAL
DEVICES
BY
EVIE KOREA

2025.05.21

REGLORY HL 40+

Name	REGLORY HL 40 PLUS
Concentration	High Molecule HA 40mg/2.5ml Low Molecule HA 40mg/2.5ml Succinic Acid 40mg/2.5ml Peptide
Features	Moisturizing, Elasticity, Regeneration
Areas of Application	Face, Neck, Décolleté, Back of Hands
Indication	Epidermis / Dermis
Treatment Interval	2 sessions with an interval of 1 month
Duration	6 months
Expiry Date	36 months from the date of manufacture
Storage Temperature	Store in a cool, dry place at a temperature of 1 to 30 °C
Package	2.5ml * 1syringe / box

What is **Reglory Hl 40+**

REGLORY HL 40 PLUS



- REGLORY HL 40 PLUS is a non-crosslinked hyaluronic acid (HA) based dermal filler developed using our proprietary high-concentration manufacturing technology. It has been specially formulated to address the limitations of traditional monophasic and biphasic fillers, which often lack elasticity and viscosity.

- This advanced formulation is designed not only for wrinkle correction but also for facial contouring and skin remodeling. The dual-molecular synergy of high and low molecular weight HA, combined with succinic acid and peptides, delivers deep hydration, enhances elasticity, and restores firmness and radiance to the skin.

Key **Features**

- Deep and lasting hydration
- Reduction in wrinkles and improved elasticity
- Immediate brightening effect and enhanced skin tone
- Visible improvement in skin density and structure
- Excellent biocompatibility with no known side effects

How It **Works**

REGLORY HL 40 PLUS

Deep Skin Hydration

Hyaluronic acid delivers moisture into the dermis, providing sustained hydration and a radiant glow



Collagen Activation

Stimulates collagen synthesis to improve fine lines, wrinkles, and overall skin firmness

Tissue Remodeling

Helps restructure the extracellular matrix, visibly reducing wrinkles and sagging for a more youthful look

How It **Works**

Tissue Repair

Supports skin regeneration in areas affected by acne, scars, or environmental damage



Overall Revitalization

Improves skin tone, density, and elasticity, leaving skin brighter and healthier

Main **Ingredients**

REGLORY HL 40 PLUS

Non-crosslinked Hyaluronic Acid

High Molecular Weight Hyaluronic Acid (HMW-HA)

- Forms a moisture barrier, retains hydration
- Boosts elasticity, reduces fine lines
- Keeps skin plump and smooth

Low Molecular Weight Hyaluronic Acid (LMW-HA)

- Deeply hydrates inner skin layers
- Promotes regeneration, improves tone
- Smooths texture, enhances glow

Main **Ingredients**

Succinic Acid

- Strong antioxidant, boosts skin metabolism
- Improves oxygen,
  promotes collagen production
- Brightens tone, fades pigmentation

Copper Tripeptide-1 (GHK-Cu)

- Stimulates collagen and elastin growth
- Supports repair, smooths fine lines
- Boosts firmness and youthfulness

Usage **Methods**

REGLORY HL 40 PLUS

1. Thoroughly disinfect the treatment area before the procedure

2. Apply the topical anesthesia if necessary.

3. Insert needles into the syringe. (Needles size: 29G / Needles not included)

4. Inject the predetermined amount into the treatment area according to the physician's judgment.

* Inject 0.2cc at 6 points per side
* Use one one syringe to administer 1.2ml per side

Usage **Methods**

REGLORY HL 40 PLUS

THE BAP TECHNIQUE
(BIO AESTHETIC POINTS)



Originally developed for the malar and sub-malar regions—areas prone to dermal atrophy due to aging—the BAP Technique (Bio Aesthetic Points) has become the most widely used and recommended protocol for treating skin laxity and volume loss in these zones.

Usage **Methods**

REGLORY HL 40 PLUS



Face (Malar & Submalar Areas): 6-Point Injection Protocol

* Inject **0.1–0.2cc** per point

1. **Zygomatic Protrusion**
   - Minimum 2 cm from the outer corner of the eye.
2. **Nasal Base**
   - At the intersection of a vertical line from the pupil and a horizontal line connecting the nostril to the tragus.
3. **Tragus Line**
   - At least 1 cm anterior to the tragus.
4. **Chin Area**
   - 1.5 cm from the intersection of a vertical midline from the chin and a horizontal line dividing the upper third of that line.
5. **Mandibular Angle**
   - 1 cm above the mandibular angle.
6. **Temporalis Area**

Usage **Methods**

REGLORY HL 40 PLUS



Neck: 12-Point Injection Protocol

* Inject **0.1–0.2cc** per point

1. Inject 0.1–0.2cc per point.
2. Use 12 injection points.
3. Space each point 1.5 cm from the clavicle center.
4. Inject into the dermis layer.
5. Needle depth should be about 3 mm.
6. Avoid blood vessels when injecting.

Usage **Methods**

REGLORY HL 40 PLUS



Hands: 10-Point Injection Protocol

* Inject **0.1–0.2cc** per point

1. Inject 0.1cc per point.
2. Use 10 injection points.
3. Space each point 1.5 cm from the midline of the middle finger.
4. Inject into the dermis layer.
5. Needle depth should be about 3 mm.
6. Avoid blood vessels during injection.

Pre-Treatment **Guidelines**

REGLORY HL 40 PLUS

- Avoid using chemical peels or strong cosmetic products on the treatment area for a few days before the procedure.
- Refrain from consuming alcohol at least 48 hours prior to treatment.
- Prevent excessive heat exposure before the procedure, including tanning beds, saunas, and direct sunlight.

After-Treatment **Care**

REGLORY HL 40 PLUS

- Avoid direct sunlight and heat exposure for 4 days. Use SPF 50 sunscreen.
- Refrain from vigorous exercise, saunas, swimming pools, and crowded places for 7 days.
- Do not use chemical peels or strong cosmetic products for a few days.
- Avoid alcohol for 24 hours and makeup for 48 hours to prevent infection.
- Maintain strict hygiene: use disposable towels, clean makeup tools, and change bedding regularly.

Possible Side **Effects**

- Mild swelling at the injection site
- Slight redness and minor injection marks
- Mild bruising due to skin punctures
- Erythema, itching, or irritation
- Potential allergic reactions to the products used during the treatment

Contraindications

- Under 18 years old
- Pregnancy or breastfeeding
- Allergies to product ingredients or hyaluronic acid
- Skin infections (bacterial, fungal, viral), inflammation, or active herpes
- Severe acne requiring medical treatment
- Blood clotting disorders or use of anticoagulants
- High allergy susceptibility, skin allergies, or irritated/damaged skin
- Connective tissue diseases, hypertrophic scars, or keloid tendency

Contraindications

- Autoimmune diseases, cancer, or ongoing chemotherapy/radiation therapy
- Use of immunosuppressants, corticosteroids (within 6-8 weeks), or retinoids (within 6 months)
- Recent surgery (within 2 months) or cryotherapy (within 6 months)
- Multiple moles, numerous telangiectasias, or psoriasis
- Severe mental disorders affecting treatment cooperation

THANK YOU!

EVIE KOREA

에비에코리아

eunsuk6104@gmail.com | info@evie.kr

eunsuk park

@stayve_bbglow

@eviepharm_official

Emily park

@stayvekorea

@Stayvebbglow.kr

ES PARK

www.evie.kr

www.eviepharm.com